

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTITY**EMERGENCY ASSISTANCE****R-CRETE React Stain**

Acrylic polymer in water

Dot Name: Acrylic polymer in water

Dot ID No.: Non regulated

R-CRETE INC.

P.O. Box 80286

Rancho Santa Margarita, CA 92688

949-888-8401 Fax 949-858-5720

SECTION 2 - HAZARDOUS INGREDIENTS

<u>Ingredients</u>	<u>CAS REG. NO.</u>	<u>AMT(%)</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Ammonia	7664-41-7	~.02 %/wt.	50 ppm	25 ppm
Acrylate esters	Mixture	~.05 %/wt.	Unknown	10 ppm- TWA
Benzol Alcohol	100-57-6	~ 1%/wt.		

This MSDS complies with the OSHA Hazard Communication Standard (29 CFR 1910.1200). Unlisted ingredients are not 'Hazardous' per this OSHA Standard and are considered to be trade secrets of R-Crete Inc.. Consult Section 12 for the nature of the hazard(s).

Product not considered hazardous.

SECTION 3 - PHYSICAL DATA

Appearance:	Milky liquid
Weight/Gallon:	8.78 lbs.
pH:	7-8
Boiling Point:	>200° F
Solubility in water:	Dilutable

SECTION 4 - FIRE AND EXPLOSION DATA

Flash Point:	Non-flammable
Extinguishing Media:	Non-flammable in liquid state; use water spray, foam, dry chemical. Use carbon dioxide on dried product.
Unusual fire and explosion hazard:	Personnel exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. Containers exposed in a fire should be cooled with water to prevent vapor Pressure buildup leading to a rupture.

SECTION 5 - REACTIVITY DATA

Stability:	Stable
Incompatibility:	Not Established
Hazardous decomposition:	Combustion of the dried product can yield low molecular weight hydrocarbons such as carbon monoxide and carbon dioxide.
Hazardous Polymerization:	Will not occur.

SECTION 6 - WASTE AND DISPOSAL & ENVIRONMENTAL RELEASES

Small spills-Should be contained using absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal.

Large Spills- Should be diked to prevent further movement and reclaim into recovery or salvage drums for disposal.

Disposal: This product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Consult your state and local authorities for proper disposal in the event more restrictive requirements apply.

SECTION 7 - HEALTH HAZARD DATA

Chronic: No anticipated effects.
Existing health conditions affected by exposure: No known effects on other illnesses.

EMERGENCY AND FIRST AID PROCEDURES:

First aid:
Eyes: Flush immediately with water for 15 minutes. Consult a physician if irritation persists.
Skin: Wash affected area with soap and water. Wash contaminated clothing before reuse.
Inhaled: Remove subject to fresh air.
Fire: Product is non-flammable in the liquid state. Use water spray, foam, dry chemical or carbon dioxide on dried product.
Spill: Collect and remove using inert absorbent. Contain spill to prevent entering sewers. Notify appropriate agencies.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Eyes: Wear chemical safety goggles to reduce the potential for eye contact. Eye wash fountain should be available.
Skin: Use impermeable chemical gloves and wear appropriate protective clothing. Launder contaminated clothing before reusing.
Respiratory: Respiratory protection is not normally required. Use NIOSH/MSHA approved respirator if conditions warrant.
Ventilation: Standard industrial ventilation is recommended.

SECTION 9 - SPECIAL PRECAUTIONS

Product not considered hazardous under normal conditions. Direct contact of product with eyes can cause irritation. Prolonged or repeated contact with skin may cause irritation.